
Version
Version of ANES 2016 Recruitment Pretest release

type: string (str100), but longest is str28
unique values: 1 missing "": 0/2,020
tabulation: Freq. Value
2,020 "ANES2016Recruitment_File2_20170417"

HouseholdID
Household ID

type: numeric (double)
range: [10000001,20000200] units: 1
unique values: 2,020 missing .: 0/2,020

ANESMailingFile
Mailing tasks data indicator

type: numeric (double)
label: ANESMailingFile
range: [1,1] units: 1
unique values: 1 missing .: 0/2,020
tabulation: Freq. Numeric Label
2,020 1 Mailing tasks data included

CondInfo
Information on the operational treatment conditions regarding when switch was ma

type: string (str43), but longest is str5
unique values: 10 missing "": 0/2,020
tabulation: Freq. Value
233 "1A"
364 "1B"
13 "1B(f)"
118 "1B(s)"
200 "1C"
211 "2A"
364 "2B"

19 "2B(f)"
134 "2B(s)"
364 "3"

TaskCode_1

TaskCode.1: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str19
unique values: 3 missing "": 0/2,020
tabulation: Freq. Value
1,292 "01-ADV-MAIL"
364 "05-ADV-MAIL"
364 "15-ADV-MAIL-INVITE1"

TaskCode_2

TaskCode.2: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str23
unique values: 5 missing "": 0/2,020
tabulation: Freq. Value
717 "02-SURVEY1-MAIL-INVITE1"
364 "06-SURVEY1-MAIL-INVITE1"
211 "09-SURVEY1-MAIL-INVITE1"
364 "12-SURVEY1-MAIL-INVITE1"
364 "16-SCREENER-REMINDER1"

TaskCode_3

TaskCode.3: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str24
unique values: 13 missing "": 0/2,020
tabulation: Freq. Value
3 ""
5 "01-ADV-MAIL"
673 "03-SURVEY1-MAIL-REMINDER"
357 "07-SURVEY1-MAIL-REMINDER"
209 "10-SURVEY1-MAIL-REMINDER"
362 "13-SURVEY1-MAIL-REMINDER"
264 "17-SCREENER-FOLLOWUP"
8 "22-SURVEY1-MAIL-INVITE2"
93 "27-SURVEY1-MAIL-INVITE2"
2 "30-SOFT-REFUSAL-MAIL"
6 "33-SCREENER-INCENTIVE1"
4 "33-SURVEY1-INCENTIVE1"
34 "MAIL-RETURN"

TaskCode_4

TaskCode.4: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str24

unique values: 24 missing "": 0/2,020

tabulation: Freq. Value

50	" "
9	"01-ADV-MAIL"
18	"03-SURVEY1-MAIL-REMINDER"
6	"04-SURVEY1-MAIL-NONRESP"
7	"07-SURVEY1-MAIL-REMINDER"
8	"08-SURVEY1-MAIL-NONRESP"
2	"10-SURVEY1-MAIL-REMINDER"
6	"11-SURVEY1-MAIL-NONRESP"
2	"13-SURVEY1-MAIL-REMINDER"
5	"14-SURVEY1-MAIL-NONRESP"
230	"18-SCREENER-REMINDER2"
8	"22-SURVEY1-MAIL-INVITE2"
19	"23-SURVEY1-MAIL-INVITE2"
17	"27-SURVEY1-MAIL-INVITE2"
71	"28-SURVEY1-MAIL-REMINDER"
7	"30-SOFT-REFUSAL-MAIL"
2	"31-SOFT-REFUSAL-MAIL"
135	"33-SCREENER-INCENTIVE1"
336	"33-SURVEY1-INCENTIVE1"
4	"34-POST-INVITE-EMAIL1"
1	"41-REMINDER-POSTCARD3"
679	"91-SURVEY1-REMINDER2"
261	"92-SURVEY1-REMINDER2"
137	"MAIL-RETURN"

TaskCode_5

TaskCode.5: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str24

unique values: 28 missing "": 0/2,020

tabulation: Freq. Value

117	" "
9	"01-ADV-MAIL"
6	"02-SURVEY1-MAIL-INVITE1"
352	"04-SURVEY1-MAIL-NONRESP"
184	"08-SURVEY1-MAIL-NONRESP"
113	"11-SURVEY1-MAIL-NONRESP"
189	"14-SURVEY1-MAIL-NONRESP"
173	"19-SCREENER-NR-INCENTIVE"
5	"20-SURVEY1-EMAIL-INVITE"

```

23 "22-SURVEY1-MAIL-INVITE2"
53 "23-SURVEY1-MAIL-INVITE2"
 3 "24-SURVEY1-MAIL-REMINDER"
42 "27-SURVEY1-MAIL-INVITE2"
13 "28-SURVEY1-MAIL-REMINDER"
40 "29-SURVEY1-FOLLOWUP"
 4 "30-SOFT-REFUSAL-MAIL"
 3 "31-SOFT-REFUSAL-MAIL"
 1 "32-SOFT-REFUSAL-MAIL"
48 "33-SCREENER-INCENTIVE1"
146 "33-SURVEY1-INCENTIVE1"
271 "34-POST-INVITE-EMAIL1"
 3 "34-POST-INVITE-EMAIL2"
63 "36-POST-INVITE-MAIL1"
 1 "40-SURVEY2-INCENTIVE1"
 1 "41-REMINDER-POSTCARD3"
19 "91-SURVEY1-REMINDER2"
 7 "92-SURVEY1-REMINDER2"
131 "MAIL-RETURN"

```

TaskCode_6

TaskCode.6: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str24

unique values: 30 missing "": 0/2,020

tabulation:	Freq.	Value
	476	"
	7	"01-ADV-MAIL"
	15	"02-SURVEY1-MAIL-INVITE1"
	2	"03-SURVEY1-MAIL-REMINDER"
	13	"04-SURVEY1-MAIL-NONRESP"
	3	"08-SURVEY1-MAIL-NONRESP"
	5	"11-SURVEY1-MAIL-NONRESP"
	2	"14-SURVEY1-MAIL-NONRESP"
	7	"19-SCREENER-NR-INCENTIVE"
	36	"20-SURVEY1-EMAIL-INVITE"
	8	"22-SURVEY1-MAIL-INVITE2"
	4	"23-SURVEY1-MAIL-INVITE2"
	19	"24-SURVEY1-MAIL-REMINDER"
	22	"25-SURVEY1-MAIL-REMINDER"
	2	"26-SURVEY1-MAIL-NONRESP"
	7	"27-SURVEY1-MAIL-INVITE2"
	37	"28-SURVEY1-MAIL-REMINDER"
	11	"29-SURVEY1-FOLLOWUP"
	1	"30-SOFT-REFUSAL-MAIL"
	31	"33-SCREENER-INCENTIVE1"
	81	"33-SURVEY1-INCENTIVE1"
	129	"34-POST-INVITE-EMAIL1"
	176	"34-POST-INVITE-EMAIL2"
	18	"36-POST-INVITE-MAIL1"
	2	"36-POST-INVITE-MAIL2"
	49	"37-POSTCARD1"

```

110 "40-SURVEY2-INCENTIVE1"
471 "41-REMINDER-POSTCARD3"
210 "42-REMINDER-POSTCARD3"
66  "MAIL-RETURN"

```

TaskCode_7

TaskCode.7: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str25

unique values: 30 missing "": 0/2,020

tabulation:	Freq.	Value
	1,264	" "
	1	"01-ADV-MAIL"
	3	"02-SURVEY1-MAIL-INVITE1"
	9	"03-SURVEY1-MAIL-REMINDER"
	1	"08-SURVEY1-MAIL-NONRESP"
	1	"09-SURVEY1-MAIL-INVITE1"
	9	"20-SURVEY1-EMAIL-INVITE"
	1	"21-SURVEY1-EMAIL-FOLLOWUP"
	5	"22-SURVEY1-MAIL-INVITE2"
	3	"23-SURVEY1-MAIL-INVITE2"
	4	"24-SURVEY1-MAIL-REMINDER"
	25	"25-SURVEY1-MAIL-REMINDER"
	26	"26-SURVEY1-MAIL-NONRESP"
	1	"27-SURVEY1-MAIL-INVITE2"
	6	"28-SURVEY1-MAIL-REMINDER"
	30	"29-SURVEY1-FOLLOWUP"
	17	"33-SCREENER-INCENTIVE1"
	85	"33-SURVEY1-INCENTIVE1"
	63	"34-POST-INVITE-EMAIL1"
	100	"34-POST-INVITE-EMAIL2"
	1	"35-REMINDER-EMAIL1"
	8	"36-POST-INVITE-MAIL1"
	133	"36-POST-INVITE-MAIL2"
	14	"37-POSTCARD1"
	29	"37-POSTCARD2"
	97	"40-SURVEY2-INCENTIVE1"
	16	"41-REMINDER-POSTCARD3"
	9	"42-REMINDER-POSTCARD3"
	1	"91-SURVEY1-REMINDER2"
	58	"MAIL-RETURN"

TaskCode_8

TaskCode.8: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str25

unique values: 27 missing "": 0/2,020

```

tabulation:  Freq.  Value
            1,444  ""
              4  "02-SURVEY1-MAIL-INVITE1"
              3  "03-SURVEY1-MAIL-REMINDER"
              1  "10-SURVEY1-MAIL-REMINDER"
              1  "19-SCREENER-NR-INCENTIVE"
              4  "20-SURVEY1-EMAIL-INVITE"
            16  "21-SURVEY1-EMAIL-FOLLOWUP"
              2  "22-SURVEY1-MAIL-INVITE2"
              7  "24-SURVEY1-MAIL-REMINDER"
              4  "25-SURVEY1-MAIL-REMINDER"
              8  "26-SURVEY1-MAIL-NONRESP"
              1  "28-SURVEY1-MAIL-REMINDER"
              5  "29-SURVEY1-FOLLOWUP"
            34  "33-SURVEY1-INCENTIVE1"
            77  "34-POST-INVITE-EMAIL1"
            46  "34-POST-INVITE-EMAIL2"
            95  "35-REMINDER-EMAIL1"
              1  "35-REMINDER-EMAIL2"
            13  "36-POST-INVITE-MAIL1"
            75  "36-POST-INVITE-MAIL2"
              6  "37-POSTCARD1"
              9  "37-POSTCARD2"
            23  "38-POST-REMINDER1"
            93  "40-SURVEY2-INCENTIVE1"
              3  "41-REMINDER-POSTCARD3"
            10  "91-SURVEY1-REMINDER2"
            35  "MAIL-RETURN"

```

TaskCode_9

TaskCode.9: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str25

unique values: 24 missing "": 0/2,020

```

tabulation:  Freq.  Value
            1,573  ""
              1  "01-ADV-MAIL"
              5  "03-SURVEY1-MAIL-REMINDER"
              4  "04-SURVEY1-MAIL-NONRESP"
              2  "20-SURVEY1-EMAIL-INVITE"
            10  "21-SURVEY1-EMAIL-FOLLOWUP"
              1  "25-SURVEY1-MAIL-REMINDER"
            10  "26-SURVEY1-MAIL-NONRESP"
            14  "33-SURVEY1-INCENTIVE1"
            25  "34-POST-INVITE-EMAIL1"
            56  "34-POST-INVITE-EMAIL2"
            69  "35-REMINDER-EMAIL1"
            65  "35-REMINDER-EMAIL2"
            12  "36-POST-INVITE-MAIL1"
            39  "36-POST-INVITE-MAIL2"
              5  "37-POSTCARD1"

```

```

3 "37-POSTCARD2"
1 "37-POSTCARD3"
8 "38-POST-REMINDER1"
87 "40-SURVEY2-INCENTIVE1"
2 "41-REMINDER-POSTCARD3"
1 "42-REMINDER-POSTCARD3"
1 "91-SURVEY1-REMINDER2"
26 "MAIL-RETURN"

```

TaskCode_10

TaskCode.10: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str25

unique values: 20 missing "": 0/2,020

tabulation:	Freq.	Value
	1,687	" "
	3	"03-SURVEY1-MAIL-REMINDER"
	4	"04-SURVEY1-MAIL-NONRESP"
	2	"20-SURVEY1-EMAIL-INVITE"
	1	"21-SURVEY1-EMAIL-FOLLOWUP"
	4	"26-SURVEY1-MAIL-NONRESP"
	1	"33-SCREENER-INCENTIVE1"
	10	"33-SURVEY1-INCENTIVE1"
	12	"34-POST-INVITE-EMAIL1"
	18	"34-POST-INVITE-EMAIL2"
	31	"35-REMINDER-EMAIL1"
	57	"35-REMINDER-EMAIL2"
	47	"36-POST-INVITE-MAIL2"
	10	"37-POSTCARD1"
	5	"37-POSTCARD2"
	56	"37-POSTCARD3"
	3	"38-POST-REMINDER1"
	52	"40-SURVEY2-INCENTIVE1"
	4	"41-REMINDER-POSTCARD3"
	13	"MAIL-RETURN"

TaskCode_11

TaskCode.11: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str25

unique values: 17 missing "": 0/2,020

tabulation:	Freq.	Value
	1,760	" "
	1	"21-SURVEY1-EMAIL-FOLLOWUP"
	1	"22-SURVEY1-MAIL-INVITE2"
	1	"30-SOFT-REFUSAL-MAIL"

```

3 "33-SURVEY1-INCENTIVE1"
13 "34-POST-INVITE-EMAIL1"
10 "34-POST-INVITE-EMAIL2"
39 "35-REMINDER-EMAIL1"
23 "35-REMINDER-EMAIL2"
42 "35-REMINDER-EMAIL3"
13 "36-POST-INVITE-MAIL2"
5 "37-POSTCARD2"
42 "37-POSTCARD3"
4 "38-POST-REMINDER1"
49 "40-SURVEY2-INCENTIVE1"
5 "41-REMINDER-POSTCARD3"
9 "MAIL-RETURN"

```

TaskCode_12

TaskCode.12: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str21

unique values: 13 missing "": 0/2,020

tabulation:	Freq.	Value
	1,824	" "
	2	"33-SURVEY1-INCENTIVE1"
	4	"34-POST-INVITE-EMAIL1"
	10	"34-POST-INVITE-EMAIL2"
	10	"35-REMINDER-EMAIL1"
	30	"35-REMINDER-EMAIL2"
	35	"35-REMINDER-EMAIL3"
	8	"36-POST-INVITE-MAIL2"
	19	"37-POSTCARD3"
	4	"38-POST-REMINDER1"
	39	"38-POST-REMINDER2"
	34	"40-SURVEY2-INCENTIVE1"
	1	"MAIL-RETURN"

TaskCode_13

TaskCode.13: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str21

unique values: 12 missing "": 0/2,020

tabulation:	Freq.	Value
	1,865	" "
	2	"34-POST-INVITE-EMAIL1"
	4	"34-POST-INVITE-EMAIL2"
	6	"35-REMINDER-EMAIL1"
	6	"35-REMINDER-EMAIL2"
	13	"35-REMINDER-EMAIL3"


```
9 "36-POST-INVITE-MAIL2"
28 "37-POSTCARD3"
31 "38-POST-REMINDER2"
24 "39-FINAL-EMAIL"
29 "40-SURVEY2-INCENTIVE1"
3 "MAIL-RETURN"
```

TaskCode_14

TaskCode.14: Mailing type and number (from condition flowcharts)

```
type: string (str36), but longest is str21
unique values: 11 missing "": 0/2,020
```

```
tabulation: Freq. Value
1,919 ""
2 "34-POST-INVITE-EMAIL2"
7 "35-REMINDER-EMAIL1"
6 "35-REMINDER-EMAIL2"
21 "35-REMINDER-EMAIL3"
4 "36-POST-INVITE-MAIL2"
6 "37-POSTCARD3"
13 "38-POST-REMINDER2"
23 "39-FINAL-EMAIL"
16 "40-SURVEY2-INCENTIVE1"
3 "MAIL-RETURN"
```

TaskCode_15

TaskCode.15: Mailing type and number (from condition flowcharts)

```
type: string (str36), but longest is str21
unique values: 10 missing "": 0/2,020
```

```
tabulation: Freq. Value
1,959 ""
3 "35-REMINDER-EMAIL1"
6 "35-REMINDER-EMAIL2"
2 "35-REMINDER-EMAIL3"
2 "36-POST-INVITE-MAIL2"
5 "37-POSTCARD3"
18 "38-POST-REMINDER2"
9 "39-FINAL-EMAIL"
15 "40-SURVEY2-INCENTIVE1"
1 "MAIL-RETURN"
```

TaskCode_16

TaskCode.16: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str21

unique values: 8 missing "": 0/2,020

tabulation:	Freq.	Value
	1,987	" "
	2	"35-REMINDER-EMAIL1"
	2	"35-REMINDER-EMAIL2"
	6	"35-REMINDER-EMAIL3"
	6	"37-POSTCARD3"
	2	"38-POST-REMINDER2"
	13	"39-FINAL-EMAIL"
	2	"40-SURVEY2-INCENTIVE1"

TaskCode_17

TaskCode.17: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str21

unique values: 7 missing "": 0/2,020

tabulation:	Freq.	Value
	2,000	" "
	3	"35-REMINDER-EMAIL3"
	2	"37-POSTCARD3"
	6	"38-POST-REMINDER2"
	1	"39-FINAL-EMAIL"
	7	"40-SURVEY2-INCENTIVE1"
	1	"MAIL-RETURN"

TaskCode_18

TaskCode.18: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str21

unique values: 5 missing "": 0/2,020

tabulation:	Freq.	Value
	2,009	" "
	3	"35-REMINDER-EMAIL3"
	3	"38-POST-REMINDER2"
	3	"39-FINAL-EMAIL"
	2	"40-SURVEY2-INCENTIVE1"

TaskCode_19

TaskCode.19: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str17

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	2,015	" "
	2	"38-POST-REMINDER2"
	3	"39-FINAL-EMAIL"

TaskCode_20

TaskCode.20: Mailing type and number (from condition flowcharts)

type: string (str36), but longest is str21

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	2,017	" "
	1	"39-FINAL-EMAIL"
	2	"40-SURVEY2-INCENTIVE1"

TaskStatus_1

TaskStatus.1: Status of the mailing

type: string (strL)

unique values: 1 missing "": 0/2,020

tabulation:	Freq.	Value
	2,020	"COMPLETED"

TaskStatus_2

TaskStatus.2: Status of the mailing

type: string (strL)

unique values: 1 missing "": 0/2,020

tabulation:	Freq.	Value
	2,020	"COMPLETED"

TaskStatus_3

TaskStatus.3: Status of the mailing

```
type: string (strL)
unique values: 6          missing "": 0/2,020

tabulation: Freq. Value
              3  ""
              22 "01-ADV-MAIL"
              7  "05-ADV-MAIL"
              4  "15-ADV-MAIL-INVITE1"
              1  "18-SCREENER-REMINDER2"
            1,983 "COMPLETED"
```

TaskStatus_4

TaskStatus.4: Status of the mailing

```
type: string (strL)
unique values: 14        missing "": 0/2,020

tabulation: Freq. Value
              50  ""
              31  "01-ADV-MAIL"
              33  "02-SURVEY1-MAIL-INVITE1"
              6   "03-SURVEY1-MAIL-REMINDER"
              5   "05-ADV-MAIL"
              17  "06-SURVEY1-MAIL-INVITE1"
              6   "07-SURVEY1-MAIL-REMINDER"
              5   "09-SURVEY1-MAIL-INVITE1"
              1   "10-SURVEY1-MAIL-REMINDER"
              18  "12-SURVEY1-MAIL-INVITE1"
              8   "15-ADV-MAIL-INVITE1"
              5   "16-SCREENER-REMINDER1"
              2   "17-SCREENER-FOLLOWUP"
            1,833 "COMPLETED"
```

TaskStatus_5

TaskStatus.5: Status of the mailing

```
type: string (strL)
unique values: 19        missing "": 0/2,020

tabulation: Freq. Value
              117  ""
              8   "01-ADV-MAIL"
              19  "02-SURVEY1-MAIL-INVITE1"
```

```

29 "03-SURVEY1-MAIL-REMINDER"
2  "05-ADV-MAIL"
7  "06-SURVEY1-MAIL-INVITE1"
13 "07-SURVEY1-MAIL-REMINDER"
1  "09-SURVEY1-MAIL-INVITE1"
1  "10-SURVEY1-MAIL-REMINDER"
4  "12-SURVEY1-MAIL-INVITE1"
16 "13-SURVEY1-MAIL-REMINDER"
3  "15-ADV-MAIL-INVITE1"
12 "16-SCREENER-REMINDER1"
6  "17-SCREENER-FOLLOWUP"
3  "18-SCREENER-REMINDER2"
1  "27-SURVEY1-MAIL-INVITE2"
4  "91-SURVEY1-REMINDER2"
2  "92-SURVEY1-REMINDER2"
1,772 "COMPLETED"

```

```

-----
TaskStatus_6
TaskStatus.6: Status of the mailing
-----

```

```

type: string (strL)
unique values: 16 missing "": 0/2,020
tabulation: Freq. Value
476 ""
6 "01-ADV-MAIL"
3 "02-SURVEY1-MAIL-INVITE1"
22 "03-SURVEY1-MAIL-REMINDER"
4 "04-SURVEY1-MAIL-NONRESP"
1 "06-SURVEY1-MAIL-INVITE1"
7 "07-SURVEY1-MAIL-REMINDER"
1 "10-SURVEY1-MAIL-REMINDER"
1 "12-SURVEY1-MAIL-INVITE1"
5 "13-SURVEY1-MAIL-REMINDER"
1 "15-ADV-MAIL-INVITE1"
1 "17-SCREENER-FOLLOWUP"
4 "18-SCREENER-REMINDER2"
2 "19-SCREENER-NR-INCENTIVE"
8 "91-SURVEY1-REMINDER2"
1,478 "COMPLETED"

```

```

-----
TaskStatus_7
TaskStatus.7: Status of the mailing
-----

```

```

type: string (strL)
unique values: 21 missing "": 0/2,020
tabulation: Freq. Value

```

```

1,264 ""
1 "01-ADV-MAIL"
8 "02-SURVEY1-MAIL-INVITE1"
6 "03-SURVEY1-MAIL-REMINDER"
4 "04-SURVEY1-MAIL-NONRESP"
1 "06-SURVEY1-MAIL-INVITE1"
3 "08-SURVEY1-MAIL-NONRESP"
2 "12-SURVEY1-MAIL-INVITE1"
3 "14-SURVEY1-MAIL-NONRESP"
1 "15-ADV-MAIL-INVITE1"
1 "16-SCREENER-REMINDER1"
2 "18-SCREENER-REMINDER2"
2 "19-SCREENER-NR-INCENTIVE"
1 "27-SURVEY1-MAIL-INVITE2"
1 "28-SURVEY1-MAIL-REMINDER"
1 "33-SURVEY1-INCENTIVE1"
8 "41-REMINDER-POSTCARD3"
1 "42-REMINDER-POSTCARD3"
10 "91-SURVEY1-REMINDER2"
2 "92-SURVEY1-REMINDER2"
698 "COMPLETED"

```

```

-----
TaskStatus_8
TaskStatus.8: Status of the mailing
-----

```

```

type: string (strL)
unique values: 18 missing "": 0/2,020

```

```

tabulation: Freq. Value
1,444 ""
1 "01-ADV-MAIL"
3 "02-SURVEY1-MAIL-INVITE1"
7 "03-SURVEY1-MAIL-REMINDER"
4 "04-SURVEY1-MAIL-NONRESP"
3 "07-SURVEY1-MAIL-REMINDER"
2 "08-SURVEY1-MAIL-NONRESP"
1 "09-SURVEY1-MAIL-INVITE1"
3 "11-SURVEY1-MAIL-NONRESP"
1 "14-SURVEY1-MAIL-NONRESP"
1 "15-ADV-MAIL-INVITE1"
1 "22-SURVEY1-MAIL-INVITE2"
1 "40-SURVEY2-INCENTIVE1"
4 "41-REMINDER-POSTCARD3"
1 "42-REMINDER-POSTCARD3"
1 "91-SURVEY1-REMINDER2"
1 "92-SURVEY1-REMINDER2"
541 "COMPLETED"

```

```

-----
TaskStatus_9
TaskStatus.9: Status of the mailing
-----

```

```

        type:  string (strL)
unique values:  15                      missing "":  0/2,020

```

```

tabulation:  Freq.  Value
              1,573  ""
                2   "01-ADV-MAIL"
                4   "02-SURVEY1-MAIL-INVITE1"
                3   "03-SURVEY1-MAIL-REMINDER"
                1   "04-SURVEY1-MAIL-NONRESP"
                1   "06-SURVEY1-MAIL-INVITE1"
                1   "08-SURVEY1-MAIL-NONRESP"
                1   "10-SURVEY1-MAIL-REMINDER"
                2   "19-SCREENER-NR-INCENTIVE"
                1   "27-SURVEY1-MAIL-INVITE2"
                1   "41-REMINDER-POSTCARD3"
                1   "42-REMINDER-POSTCARD3"
                7   "91-SURVEY1-REMINDER2"
                1   "92-SURVEY1-REMINDER2"
            421   "COMPLETED"

```

```

TaskStatus_10
TaskStatus.10: Status of the mailing

```

```

        type:  string (strL)
unique values:  11                      missing "":  0/2,020

```

```

tabulation:  Freq.  Value
              1,687  ""
                2   "01-ADV-MAIL"
                3   "03-SURVEY1-MAIL-REMINDER"
                1   "06-SURVEY1-MAIL-INVITE1"
                1   "08-SURVEY1-MAIL-NONRESP"
                1   "13-SURVEY1-MAIL-REMINDER"
                1   "33-SURVEY1-INCENTIVE1"
                1   "41-REMINDER-POSTCARD3"
                1   "42-REMINDER-POSTCARD3"
                2   "92-SURVEY1-REMINDER2"
            320   "COMPLETED"

```

```

TaskStatus_11
TaskStatus.11: Status of the mailing

```

```

        type:  string (strL)
unique values:  8                      missing "":  0/2,020

```

```

tabulation: Freq. Value
            1,760 ""
              3 "02-SURVEY1-MAIL-INVITE1"
              1 "04-SURVEY1-MAIL-NONRESP"
              1 "07-SURVEY1-MAIL-REMINDER"
              1 "12-SURVEY1-MAIL-INVITE1"
              1 "36-POST-INVITE-MAIL2"
              2 "91-SURVEY1-REMINDER2"
            251 "COMPLETED"

```

TaskStatus_12
TaskStatus.12: Status of the mailing

```

type: string (strL)

unique values: 3 missing "": 0/2,020

tabulation: Freq. Value
            1,824 ""
              1 "40-SURVEY2-INCENTIVE1"
            195 "COMPLETED"

```

TaskStatus_13
TaskStatus.13: Status of the mailing

```

type: string (strL)

unique values: 5 missing "": 0/2,020

tabulation: Freq. Value
            1,865 ""
              1 "37-POSTCARD3"
              1 "38-POST-REMINDER1"
              1 "40-SURVEY2-INCENTIVE1"
            152 "COMPLETED"

```

TaskStatus_14
TaskStatus.14: Status of the mailing

```

type: string (strL)

unique values: 5 missing "": 0/2,020

tabulation: Freq. Value
            1,919 ""
              1 "04-SURVEY1-MAIL-NONRESP"

```



```
1 "36-POST-INVITE-MAIL2"  
1 "37-POSTCARD3"  
98 "COMPLETED"
```

TaskStatus_15
TaskStatus.15: Status of the mailing

```
type: string (strL)  
unique values: 3 missing "": 0/2,020  
tabulation: Freq. Value  
1,959 ""  
1 "36-POST-INVITE-MAIL2"  
60 "COMPLETED"
```

TaskStatus_16
TaskStatus.16: Status of the mailing

```
type: string (strL)  
unique values: 2 missing "": 0/2,020  
tabulation: Freq. Value  
1,987 ""  
33 "COMPLETED"
```

TaskStatus_17
TaskStatus.17: Status of the mailing

```
type: string (strL)  
unique values: 3 missing "": 0/2,020  
tabulation: Freq. Value  
2,000 ""  
1 "38-POST-REMINDER1"  
19 "COMPLETED"
```

TaskStatus_18
TaskStatus.18: Status of the mailing

```
type: string (strL)
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,009 ""
11 "COMPLETED"
```

TaskStatus_19
TaskStatus.19: Status of the mailing

```
type: string (strL)
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,015 ""
5 "COMPLETED"
```

TaskStatus_20
TaskStatus.20: Status of the mailing

```
type: string (strL)
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,017 ""
3 "COMPLETED"
```

TaskDT_1
TaskDT.1: Date status was assigned

```
type: numeric daily date (long)
range: [20485,20520] units: 1
or equivalently: [01feb2016,07mar2016] units: days
unique values: 4 missing .: 0/2,020
```

TaskDT_2
TaskDT.2: Date status was assigned

```
type: numeric daily date (long)
```

range: [20492,20524] units: 1
or equivalently: [08feb2016,11mar2016] units: days
unique values: 2 missing ..: 0/2,020

TaskDT_3
TaskDT.3: Date status was assigned

type: numeric daily date (long)

range: [20494,20537] units: 1
or equivalently: [10feb2016,24mar2016] units: days
unique values: 13 missing ..: 3/2,020

TaskDT_4
TaskDT.4: Date status was assigned

type: numeric daily date (long)

range: [20494,20585] units: 1
or equivalently: [10feb2016,11may2016] units: days
unique values: 32 missing ..: 50/2,020

TaskDT_5
TaskDT.5: Date status was assigned

type: numeric daily date (long)

range: [20500,20588] units: 1
or equivalently: [16feb2016,14may2016] units: days
unique values: 48 missing ..: 117/2,020

TaskDT_6
TaskDT.6: Date status was assigned

type: numeric daily date (long)

range: [20501,20598] units: 1
or equivalently: [17feb2016,24may2016] units: days
unique values: 63 missing ..: 476/2,020

TaskDT_7
TaskDT.7: Date status was assigned

type: numeric daily date (long)
range: [20506,20626] units: 1
or equivalently: [22feb2016,21jun2016] units: days
unique values: 67 missing .: 1,264/2,020

TaskDT_8
TaskDT.8: Date status was assigned

type: numeric daily date (long)
range: [20509,20632] units: 1
or equivalently: [25feb2016,27jun2016] units: days
unique values: 67 missing .: 1,444/2,020

TaskDT_9
TaskDT.9: Date status was assigned

type: numeric daily date (long)
range: [20513,20626] units: 1
or equivalently: [29feb2016,21jun2016] units: days
unique values: 63 missing .: 1,573/2,020

TaskDT_10
TaskDT.10: Date status was assigned

type: numeric daily date (long)
range: [20520,20618] units: 1
or equivalently: [07mar2016,13jun2016] units: days
unique values: 48 missing .: 1,687/2,020

TaskDT_11
TaskDT.11: Date status was assigned

type: numeric daily date (long)
range: [20531,20627] units: 1
or equivalently: [18mar2016,22jun2016] units: days
unique values: 43 missing .: 1,760/2,020

TaskDT_12

TaskDT.12: Date status was assigned

type: numeric daily date (long)
range: [20542,20625] units: 1
or equivalently: [29mar2016,20jun2016] units: days
unique values: 31 missing .: 1,824/2,020

TaskDT_13

TaskDT.13: Date status was assigned

type: numeric daily date (long)
range: [20550,20625] units: 1
or equivalently: [06apr2016,20jun2016] units: days
unique values: 28 missing .: 1,865/2,020

TaskDT_14

TaskDT.14: Date status was assigned

type: numeric daily date (long)
range: [20553,20636] units: 1
or equivalently: [09apr2016,01jul2016] units: days
unique values: 22 missing .: 1,919/2,020

TaskDT_15

TaskDT.15: Date status was assigned

type: numeric daily date (long)
range: [20556,20625] units: 1
or equivalently: [12apr2016,20jun2016] units: days
unique values: 20 missing .: 1,959/2,020

TaskDT_16

TaskDT.16: Date status was assigned

type: numeric daily date (long)
range: [20562,20636] units: 1
or equivalently: [18apr2016,01jul2016] units: days
unique values: 10 missing .: 1,987/2,020

TaskDT_17

TaskDT.17: Date status was assigned

type: numeric daily date (long)
range: [20563,20625] units: 1
or equivalently: [19apr2016,20jun2016] units: days
unique values: 13 missing .: 2,000/2,020

TaskDT_18

TaskDT.18: Date status was assigned

type: numeric daily date (long)
range: [20584,20619] units: 1
or equivalently: [10may2016,14jun2016] units: days
unique values: 6 missing .: 2,009/2,020

TaskDT_19

TaskDT.19: Date status was assigned

type: numeric daily date (long)
range: [20587,20625] units: 1
or equivalently: [13may2016,20jun2016] units: days
unique values: 3 missing .: 2,015/2,020

TaskDT_20

TaskDT.20: Date status was assigned

type: numeric daily date (long)
range: [20599,20629] units: 1
or equivalently: [25may2016,24jun2016] units: days
unique values: 3 missing .: 2,017/2,020

AddressStatus_Mailing_1

AddressStatus_Mailing.1: Address status from mailing tasks file

type: string (str30), but longest is str6
unique values: 1 missing "": 0/2,020
tabulation: Freq. Value
2,020 "ACTIVE"

AddressStatus_Mailing_2
AddressStatus_Mailing.2: Address status from mailing tasks file

type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
1 ""
2,019 "ACTIVE"

AddressStatus_Mailing_3
AddressStatus_Mailing.3: Address status from mailing tasks file

type: string (str30), but longest is str16
unique values: 6 missing "": 0/2,020
tabulation: Freq. Value
37 ""
1,967 "ACTIVE"
6 "HARD-REFUSAL"
5 "INELIGIBLE-OTHER"
4 "SOFT-REFUSAL"
1 "VACANT"

AddressStatus_Mailing_4
AddressStatus_Mailing.4: Address status from mailing tasks file

type: string (str30), but longest is str16
unique values: 6 missing "": 0/2,020
tabulation: Freq. Value
187 ""
1,801 "ACTIVE"
1 "INELIGIBLE-OTHER"
10 "NO-SUCH-ADDRESS"
15 "SOFT-REFUSAL"
6 "VACANT"

AddressStatus_Mailing_5
AddressStatus_Mailing.5: Address status from mailing tasks file

```

type: string (str30), but longest is str16
unique values: 5 missing "": 0/2,020

tabulation: Freq. Value
             248 ""
             1,761 "ACTIVE"
             1 "INELIGIBLE-OTHER"
             1 "NO-SUCH-ADDRESS"
             9 "SOFT-REFUSAL"

```

AddressStatus_Mailing_6
AddressStatus_Mailing.6: Address status from mailing tasks file

```

type: string (str30), but longest is str16
unique values: 5 missing "": 0/2,020

tabulation: Freq. Value
             542 ""
             1,474 "ACTIVE"
             1 "INELIGIBLE-OTHER"
             1 "NO-SUCH-ADDRESS"
             2 "SOFT-REFUSAL"

```

AddressStatus_Mailing_7
AddressStatus_Mailing.7: Address status from mailing tasks file

```

type: string (str30), but longest is str15
unique values: 3 missing "": 0/2,020

tabulation: Freq. Value
             1,323 ""
             695 "ACTIVE"
             2 "NO-SUCH-ADDRESS"

```

AddressStatus_Mailing_8
AddressStatus_Mailing.8: Address status from mailing tasks file

```

type: string (str30), but longest is str6
unique values: 3 missing "": 0/2,020

tabulation: Freq. Value

```



```
1,479 ""
540 "ACTIVE"
1 "VACANT"
```

AddressStatus_Mailing_9

AddressStatus_Mailing.9: Address status from mailing tasks file

```
type: string (str30), but longest is str16
unique values: 3 missing "": 0/2,020
tabulation: Freq. Value
1,599 ""
420 "ACTIVE"
1 "INELIGIBLE-OTHER"
```

AddressStatus_Mailing_10

AddressStatus_Mailing.10: Address status from mailing tasks file

```
type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
1,700 ""
320 "ACTIVE"
```

AddressStatus_Mailing_11

AddressStatus_Mailing.11: Address status from mailing tasks file

```
type: string (str30), but longest is str12
unique values: 3 missing "": 0/2,020
tabulation: Freq. Value
1,769 ""
250 "ACTIVE"
1 "SOFT-REFUSAL"
```

AddressStatus_Mailing_12

AddressStatus_Mailing.12: Address status from mailing tasks file

```
type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
            1,825 ""
            195 "ACTIVE"
```

AddressStatus_Mailing_13
AddressStatus_Mailing.13: Address status from mailing tasks file

```
type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
            1,868 ""
            152 "ACTIVE"
```

AddressStatus_Mailing_14
AddressStatus_Mailing.14: Address status from mailing tasks file

```
type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
            1,922 ""
            98 "ACTIVE"
```

AddressStatus_Mailing_15
AddressStatus_Mailing.15: Address status from mailing tasks file

```
type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
            1,960 ""
            60 "ACTIVE"
```

AddressStatus_Mailing_16
AddressStatus_Mailing.16: Address status from mailing tasks file

type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
1,987 ""
33 "ACTIVE"

AddressStatus_Mailing_17
AddressStatus_Mailing.17: Address status from mailing tasks file

type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,001 ""
19 "ACTIVE"

AddressStatus_Mailing_18
AddressStatus_Mailing.18: Address status from mailing tasks file

type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,009 ""
11 "ACTIVE"

AddressStatus_Mailing_19
AddressStatus_Mailing.19: Address status from mailing tasks file

type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,015 ""
5 "ACTIVE"

AddressStatus_Mailing_20

AddressStatus_Mailing.20: Address status from mailing tasks file

type: string (str30), but longest is str6
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,017 ""
3 "ACTIVE"

ANESRecordofContactsFile

Record of contact data indicator

type: numeric (double)
label: ANESRecordofContactsFile
range: [1,1] units: 1
unique values: 1 missing .: 1,818/2,020
tabulation: Freq. Numeric Label
202 1 Record of contact data included
1,818 .

ContactDate_1

ContactDate.1: Contact date

type: numeric daily date (long)
range: [20489,20636] units: 1
or equivalently: [05feb2016,01jul2016] units: days
unique values: 70 missing .: 1,818/2,020

ContactDate_2

ContactDate.2: Contact date

type: numeric daily date (long)
range: [20494,20619] units: 1
or equivalently: [10feb2016,14jun2016] units: days
unique values: 50 missing .: 1,914/2,020

ContactDate_3

ContactDate.3: Contact date

type: numeric daily date (long)
range: [20495,20620] units: 1
or equivalently: [11feb2016,15jun2016] units: days
unique values: 38 missing .: 1,963/2,020

ContactDate_4
ContactDate.4: Contact date

type: numeric daily date (long)
range: [20495,20618] units: 1
or equivalently: [11feb2016,13jun2016] units: days
unique values: 26 missing .: 1,988/2,020

ContactDate_5
ContactDate.5: Contact date

type: numeric daily date (long)
range: [20495,20563] units: 1
or equivalently: [11feb2016,19apr2016] units: days
unique values: 13 missing .: 2,005/2,020

ContactDate_6
ContactDate.6: Contact date

type: numeric daily date (long)
range: [20506,20585] units: 1
or equivalently: [22feb2016,11may2016] units: days
unique values: 7 missing .: 2,013/2,020

ContactDate_7
ContactDate.7: Contact date

type: numeric daily date (long)
range: [20506,20599] units: 1
or equivalently: [22feb2016,25may2016] units: days
unique values: 6 missing .: 2,014/2,020

ContactDate_8
ContactDate.8: Contact date

type: numeric daily date (long)

range: [20508,20576] units: 1
or equivalently: [24feb2016,02may2016] units: days
unique values: 3 missing .. 2,017/2,020

ContactDate_9
ContactDate.9: Contact date

type: numeric daily date (long)

range: [20508,20508] units: 1
or equivalently: [24feb2016,24feb2016] units: days
unique values: 1 missing .. 2,019/2,020

ContactDate_10
ContactDate.10: Contact date

type: numeric daily date (long)

range: [20516,20516] units: 1
or equivalently: [03mar2016,03mar2016] units: days
unique values: 1 missing .. 2,019/2,020

ContactDate_11
ContactDate.11: Contact date

type: numeric daily date (long)

range: [20555,20555] units: 1
or equivalently: [11apr2016,11apr2016] units: days
unique values: 1 missing .. 2,019/2,020

ContactDate_12
ContactDate.12: Contact date

type: numeric daily date (long)

range: [20556,20556] units: 1
or equivalently: [12apr2016,12apr2016] units: days
unique values: 1 missing .. 2,019/2,020

ContactDate_13
ContactDate.13: Contact date

type: numeric daily date (long)
range: [20559,20559] units: 1
or equivalently: [15apr2016,15apr2016] units: days
unique values: 1 missing .: 2,019/2,020

ContactDate_14
ContactDate.14: Contact date

type: numeric daily date (long)
range: [20559,20559] units: 1
or equivalently: [15apr2016,15apr2016] units: days
unique values: 1 missing .: 2,019/2,020

ContactDate_15
ContactDate.15: Contact date

type: numeric daily date (long)
range: [20559,20559] units: 1
or equivalently: [15apr2016,15apr2016] units: days
unique values: 1 missing .: 2,019/2,020

EndTime_1
EndTime.1: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [127,2325] units: 1
unique values: 163 missing .: 1,818/2,020

EndTime_2
EndTime.2: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [401,2336] units: 1
unique values: 103 missing .: 1,914/2,020

EndTime_3
EndTime.3: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [644,2034] units: 1
unique values: 56 missing .: 1,963/2,020

EndTime_4
EndTime.4: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [850,2109] units: 1
unique values: 32 missing .: 1,988/2,020

EndTime_5
EndTime.5: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [402,2202] units: 1
unique values: 15 missing .: 2,005/2,020

EndTime_6
EndTime.6: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [403,1745] units: 1
unique values: 7 missing .: 2,013/2,020

EndTime_7
EndTime.7: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [1134,2156] units: 1
unique values: 6 missing .: 2,014/2,020

EndTime_8
EndTime.8: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [1139,1734] units: 1

unique values: 3

missing .: 2,017/2,020

EndTime_9

EndTime.9: Time contact was logged in M3 database (HHMM)

type: numeric (double)

range: [1251,1251]

units: 1

unique values: 1

missing .: 2,019/2,020

EndTime_10

EndTime.10: Time contact was logged in M3 database (HHMM)

type: numeric (double)

range: [1045,1045]

units: 1

unique values: 1

missing .: 2,019/2,020

EndTime_11

EndTime.11: Time contact was logged in M3 database (HHMM)

type: numeric (double)

range: [2238,2238]

units: 1

unique values: 1

missing .: 2,019/2,020

EndTime_12

EndTime.12: Time contact was logged in M3 database (HHMM)

type: numeric (double)

range: [958,958]

units: 1

unique values: 1

missing .: 2,019/2,020

EndTime_13

EndTime.13: Time contact was logged in M3 database (HHMM)

type: numeric (double)

range: [1507,1507]

units: 1

unique values: 1

missing .: 2,019/2,020

EndTime_14
EndTime.14: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [1540,1540] units: 10
unique values: 1 missing .: 2,019/2,020

EndTime_15
EndTime.15: Time contact was logged in M3 database (HHMM)

type: numeric (double)
range: [1540,1540] units: 10
unique values: 1 missing .: 2,019/2,020

TypeOfContact_1
TypeOfContact.1: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5
unique values: 4 missing "": 0/2,020
tabulation: Freq. Value
1,818 ""
46 "EMAIL"
57 "MAIL"
99 "PHONE"

TypeOfContact_2
TypeOfContact.2: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5
unique values: 4 missing "": 0/2,020
tabulation: Freq. Value
1,914 ""
58 "EMAIL"
7 "MAIL"
41 "PHONE"

TypeOfContact_3

TypeOfContact.3: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5

unique values: 4 missing "": 0/2,020

tabulation:	Freq.	Value
	1,963	" "
	27	"EMAIL"
	6	"MAIL"
	24	"PHONE"

TypeOfContact_4

TypeOfContact.4: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5

unique values: 4 missing "": 0/2,020

tabulation:	Freq.	Value
	1,988	" "
	16	"EMAIL"
	2	"MAIL"
	14	"PHONE"

TypeOfContact_5

TypeOfContact.5: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	2,005	" "
	8	"EMAIL"
	7	"PHONE"

TypeOfContact_6

TypeOfContact.6: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5

unique values: 3 missing "": 0/2,020

```
tabulation: Freq. Value
            2,013 ""
            4  "EMAIL"
            3  "PHONE"
```

TypeOfContact_7
TypeOfContact.7: Type of contact (Phone, Mail, Email, etc)

```
type: string (str128), but longest is str5
unique values: 4 missing "": 0/2,020
```

```
tabulation: Freq. Value
            2,014 ""
            3  "EMAIL"
            2  "MAIL"
            1  "PHONE"
```

TypeOfContact_8
TypeOfContact.8: Type of contact (Phone, Mail, Email, etc)

```
type: string (str128), but longest is str5
unique values: 3 missing "": 0/2,020
```

```
tabulation: Freq. Value
            2,017 ""
            1  "MAIL"
            2  "PHONE"
```

TypeOfContact_9
TypeOfContact.9: Type of contact (Phone, Mail, Email, etc)

```
type: string (str128), but longest is str5
unique values: 2 missing "": 0/2,020
```

```
tabulation: Freq. Value
            2,019 ""
            1  "EMAIL"
```

TypeOfContact_10
TypeOfContact.10: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str4
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,019 ""
1 "MAIL"

TypeOfContact_11
TypeOfContact.11: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,019 ""
1 "EMAIL"

TypeOfContact_12
TypeOfContact.12: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,019 ""
1 "EMAIL"

TypeOfContact_13
TypeOfContact.13: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5
unique values: 2 missing "": 0/2,020
tabulation: Freq. Value
2,019 ""
1 "EMAIL"

.TypeOfContact_14

TypeOfContact.14: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str5

unique values: 2 missing "": 0/2,020

tabulation:	Freq.	Value
	2,019	" "
	1	"EMAIL"

.TypeOfContact_15

TypeOfContact.15: Type of contact (Phone, Mail, Email, etc)

type: string (str128), but longest is str4

unique values: 2 missing "": 0/2,020

tabulation:	Freq.	Value
	2,019	" "
	1	"MAIL"

IsInboundYN_1

IsInboundYN.1: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	1,818	" "
	22	"N"
	180	"Y"

IsInboundYN_2

IsInboundYN.2: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	1,914	" "
	70	"N"
	36	"Y"

IsInboundYN_3

IsInboundYN.3: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation: Freq. Value
1,963 ""
28 "N"
29 "Y"

IsInboundYN_4

IsInboundYN.4: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation: Freq. Value
1,988 ""
18 "N"
14 "Y"

IsInboundYN_5

IsInboundYN.5: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation: Freq. Value
2,005 ""
9 "N"
6 "Y"

IsInboundYN_6

IsInboundYN.6: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	2,013	" "
	2	"N"
	5	"Y"

IsInboundYN_7

IsInboundYN.7: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	2,014	" "
	3	"N"
	3	"Y"

IsInboundYN_8

IsInboundYN.8: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 3 missing "": 0/2,020

tabulation:	Freq.	Value
	2,017	" "
	1	"N"
	2	"Y"

IsInboundYN_9

IsInboundYN.9: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 2 missing "": 0/2,020

tabulation:	Freq.	Value
	2,019	" "
	1	"N"

IsInboundYN_14

IsInboundYN.14: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 2 missing "": 0/2,020

tabulation:	Freq.	Value
	2,019	" "
	1	"N"

IsInboundYN_15

IsInboundYN.15: Was contact initiated by respondent (Y) or Westat (N)

type: string (str3), but longest is str1

unique values: 2 missing "": 0/2,020

tabulation:	Freq.	Value
	2,019	" "
	1	"N"

EROCDetail_Redacted_1

EROCDetail_Redacted.1: Detail about the contact - Redacted

type: string (strL)

unique values: 195 missing "": 0/2,020

EROCDetail_Redacted_2

EROCDetail_Redacted.2: Detail about the contact - Redacted

type: string (strL)

unique values: 105 missing "": 0/2,020

EROCDetail_Redacted_3

EROCDetail_Redacted.3: Detail about the contact - Redacted

unique values: 4

missing "": 0/2,020

EROCDetail_Redacted_9

EROCDetail_Redacted.9: Detail about the contact - Redacted

type: string (strL)

unique values: 2

missing "": 0/2,020

EROCDetail_Redacted_10

EROCDetail_Redacted.10: Detail about the contact - Redacted

type: string (strL)

unique values: 2

missing "": 0/2,020

EROCDetail_Redacted_11

EROCDetail_Redacted.11: Detail about the contact - Redacted

type: string (strL)

unique values: 2

missing "": 0/2,020

EROCDetail_Redacted_12

EROCDetail_Redacted.12: Detail about the contact - Redacted

type: string (strL)

unique values: 2

missing "": 0/2,020

EROCDetail_Redacted_13

EROCDetail_Redacted.13: Detail about the contact - Redacted

type: string (strL)

unique values: 2

missing "": 0/2,020

EROCDetail_Redacted_14
EROCDetail_Redacted.14: Detail about the contact - Redacted

type: string (strL)
unique values: 2 missing "": 0/2,020

EROCDetail_Redacted_15
EROCDetail_Redacted.15: Detail about the contact - Redacted

type: string (strL)
unique values: 2 missing "": 0/2,020

ANESUserLoginsFile
User logins data indicator

type: numeric (double)
label: ANESUserLoginsFile
range: [1,1] units: 1
unique values: 1 missing .: 1,138/2,020
tabulation: Freq. Numeric Label
 882 1 User logins data included
 1,138 .

UserAgent_1
UserAgent.1: User agent string

type: string (strL)
unique values: 332 missing "": 0/2,020
examples:
"Mozilla/5.0 (Linux; Android 5.1.1; LGMS631
Build/LMY47V) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/48.0.2564.95 Mobile Safari/537.36"
"Mozilla/5.0 (Windows NT 6.1; WOW64)
AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/46.0.2490.86 Safari/537.36"

UserAgent_2
UserAgent.2: User agent string

type: string (strL)
unique values: 288 missing "": 0/2,020

UserAgent_3
UserAgent.3: User agent string

type: string (strL)
unique values: 194 missing "": 0/2,020

UserAgent_4
UserAgent.4: User agent string

type: string (strL)
unique values: 123 missing "": 0/2,020

UserAgent_5
UserAgent.5: User agent string

type: string (strL)
unique values: 79 missing "": 0/2,020

UserAgent_6
UserAgent.6: User agent string

type: string (strL)
unique values: 56 missing "": 0/2,020

UserAgent_7
UserAgent.7: User agent string

type: string (strL)
unique values: 38 missing "": 0/2,020

UserAgent_8
UserAgent.8: User agent string

type: string (strL)
unique values: 28 missing "": 0/2,020

UserAgent_9
UserAgent.9: User agent string

type: string (strL)
unique values: 21 missing "": 0/2,020

UserAgent_10
UserAgent.10: User agent string

type: string (strL)
unique values: 16 missing "": 0/2,020

UserAgent_11
UserAgent.11: User agent string

type: string (strL)
unique values: 13 missing "": 0/2,020

UserAgent_12
UserAgent.12: User agent string

type: string (strL)
unique values: 9 missing "": 0/2,020

UserAgent_13
UserAgent.13: User agent string

 type: string (strL)
unique values: 3 missing "": 0/2,020

UserAgent_14
UserAgent.14: User agent string

 type: string (strL)
unique values: 3 missing "": 0/2,020

UserAgent_15
UserAgent.15: User agent string

 type: string (strL)
unique values: 2 missing "": 0/2,020

UserAgent_16
UserAgent.16: User agent string

 type: string (strL)
unique values: 2 missing "": 0/2,020

LoginDT_1
LoginDT.1: Login date and time

 type: numeric daily date (long)
 range: [20494,20582] units: 1
or equivalently: [10feb2016,08may2016] units: days
unique values: 77 missing .: 1,138/2,020

LoginDT_2
LoginDT.2: Login date and time

type: numeric daily date (long)
range: [20494,20637] units: 1
or equivalently: [10feb2016,02jul2016] units: days
unique values: 105 missing .: 1,300/2,020

LoginDT_3
LoginDT.3: Login date and time

type: numeric daily date (long)
range: [20494,20637] units: 1
or equivalently: [10feb2016,02jul2016] units: days
unique values: 98 missing .: 1,653/2,020

LoginDT_4
LoginDT.4: Login date and time

type: numeric daily date (long)
range: [20494,20629] units: 1
or equivalently: [10feb2016,24jun2016] units: days
unique values: 80 missing .: 1,834/2,020

LoginDT_5
LoginDT.5: Login date and time

type: numeric daily date (long)
range: [20495,20639] units: 1
or equivalently: [11feb2016,04jul2016] units: days
unique values: 59 missing .: 1,909/2,020

LoginDT_6
LoginDT.6: Login date and time

type: numeric daily date (long)
range: [20499,20630] units: 1
or equivalently: [15feb2016,25jun2016] units: days

unique values: 46

missing .: 1,943/2,020

LoginDT_7

LoginDT.7: Login date and time

type: numeric daily date (long)

range:	[20499,20630]	units:	1
or equivalently:	[15feb2016,25jun2016]	units:	days
unique values:	38	missing .:	1,969/2,020

LoginDT_8

LoginDT.8: Login date and time

type: numeric daily date (long)

range:	[20502,20611]	units:	1
or equivalently:	[18feb2016,06jun2016]	units:	days
unique values:	23	missing .:	1,988/2,020

LoginDT_9

LoginDT.9: Login date and time

type: numeric daily date (long)

range:	[20531,20611]	units:	1
or equivalently:	[18mar2016,06jun2016]	units:	days
unique values:	17	missing .:	1,998/2,020

LoginDT_10

LoginDT.10: Login date and time

type: numeric daily date (long)

range:	[20532,20608]	units:	1
or equivalently:	[19mar2016,03jun2016]	units:	days
unique values:	12	missing .:	2,004/2,020

LoginDT_11

LoginDT.11: Login date and time

type: numeric daily date (long)

range:	[20534,20614]	units:	1
--------	---------------	--------	---

or equivalently: [21mar2016,09jun2016] units: days
unique values: 9 missing .. 2,008/2,020

LoginDT_12
LoginDT.12: Login date and time

type: numeric daily date (long)

range: [20537,20587] units: 1
or equivalently: [24mar2016,13may2016] units: days
unique values: 7 missing .. 2,012/2,020

LoginDT_13
LoginDT.13: Login date and time

type: numeric daily date (long)

range: [20550,20563] units: 1
or equivalently: [06apr2016,19apr2016] units: days
unique values: 2 missing .. 2,018/2,020

LoginDT_14
LoginDT.14: Login date and time

type: numeric daily date (long)

range: [20550,20566] units: 1
or equivalently: [06apr2016,22apr2016] units: days
unique values: 2 missing .. 2,018/2,020

LoginDT_15
LoginDT.15: Login date and time

type: numeric daily date (long)

range: [20550,20550] units: 10
or equivalently: [06apr2016,06apr2016] units: days
unique values: 1 missing .. 2,019/2,020

LoginDT_16
LoginDT.16: Login date and time

type: numeric daily date (long)

```
      range: [20555,20555]          units: 1
or equivalently: [11apr2016,11apr2016]  units: days
unique values: 1                    missing .: 2,019/2,020
```
